

10/15/99

JC715 U.S. PTO

PTO/SB/05 (2/98) (modified)

Approved for use through 9/30/2000, OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

# NEW UTILITY PATENT APPLICATION TRANSMITTAL

(only for new nonprovisional applications under  
37 CFR 1.53(b))

Attorney Docket Number 21708-04479US (PD99-2699)

First Named Inventor Krishna Asur Bharat

Total Pages in this  
Submission 94

Express Mail Label No. EJ401538698US

PTO  
09/410418  
JC715 U.S. PTO

10/15/99

## APPLICATION ELEMENTS

1. ☒ **Fee Transmittal Form (in duplicate)**  
  
☒ **Checks Enclosed**
2. ☒ **Specification**  
(preferred arrangement set forth below)
  - Descriptive Title of the Invention
  - Cross Reference(s) to Related Case(s)
  - Statement Regarding Fed sponsored R & D
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawing(s)
  - Detailed Description
  - Claim or Claims
  - Abstract of the Disclosure
3. ☒ **Drawing(s) ( when necessary per 35 USC 113)**
4. **Oath or Declaration**
  - a. ☒ **New Declaration (two enclosed)**  
☒ **Executed**
  - b. ☐ Copy from a prior application (37 CFR 1.63(d))  
(for continuation/divisional with Box 17 completed)
    - i. ☐ **DELETION OF INVENTOR(S)**  
Signed statement attached deleting inventor(s)  
named in the prior application, see 37 CFR  
1.63(d)(2) and 1.33(b).
5. ☐ **Incorporation by Reference (useable if Box 4b is checked).** The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

## ACCOMPANYING APPLICATION PARTS

6. ☒ **Assignment & Assignment Recordation Cover Sheet (two assignments submitted)**
7. ☐ Certified Copy of Priority Document(s)  
(if foreign priority is claimed)
8. ☒ **Information Disclosure Statement & PTO-1449**  
☒ **Copies of IDS Citation(s)**
9. ☐ Preliminary Amendment
10. **Small Entity Statement**  
☐ New Statement enclosed  
☐ Statement filed in prior application. Status still proper and desired
11. ☒ **Return Postcard**
12. ☐
13. ☐
14. ☐
15. ☐
16. ☐

### ADDRESS TO:

**Assistant Commissioner for Patents**  
**Box Patent Application**  
**Washington, D.C. 20231**

## 18. CORRESPONDENCE ADDRESS

NAME	Lawrence W. Granatelli, Esq. Fenwick & West LLP				
ADDRESS	Two Palo Alto Square				
CITY	Palo Alto	STATE	CA	ZIP CODE	94306
COUNTRY	U.S.A.	TELEPHONE	(650) 858-7151	FAX	(650) 494-1417
Name (Print/Type)	Laura A. Majerus			Registration No. (Attorney/Agent)	33,417
Signature	Laura Majerus			Date	10-15-99

Rev. 10/15/99

# METHOD FOR RANKING HYPERTEXT SEARCH RESULTS BY ANALYSIS OF HYPERLINKS FROM EXPERT DOCUMENTS AND KEYWORD SCOPE

## BACKGROUND OF THE INVENTION

### Field of the Invention

5           The present invention relates generally to software programs and, more specifically, to search engines that search large numbers of hypertext documents.

### Description of Background Art

10           The world wide web (WWW) has grown phenomenally in recent years. At the beginning of the web's history, there were hundreds or thousands of web pages in existence. At the present time, there are millions of web pages, and the number is increasing daily. The rapid increase in the number of web pages has increased the difficulty of finding information on the web. Even though the information that a person wants may be available on the web, it is sometimes difficult to locate the page or site  
15           that contains the information.

          One solution to the problem of finding information of the web is to let software programs perform the search. Various search engines have been developed that return a list of ranked documents in response to a search query. If the query is broad (i.e., it matches many documents) then the returned list is usually too long for the user to look at  
20           fully. Users typically look only at the top ranked results on the assumption that they are most relevant.

          A broad search query can produce a huge result set. This set is hard to rank based on content alone, since the quality and "authoritativeness" (namely, a measure of how authoritative the page is on the subject) of pages cannot be assessed solely by  
25           analyzing their content. For example, on the WWW many pages are created for the purpose of misleading search engines and may contain spurious words that do not pertain to the topic of the page. Such pages are known popularly as "spam" pages.

Prior approaches that have used content analysis to rank broad queries cannot distinguish between authoritative and non-authoritative pages (e.g., they fail to detect spam pages). Hence the ranking of such methods cannot be relied upon.

Three approaches to improve the authoritativeness of ranked results have been taken in the past. A first approach is ranking based on human classification. Human editors have been used to manually associate a set of categories and keywords with a subset of documents on the web. These categories and keywords are then matched against the user's query to return valid matches. This approach, however, is slow and can only be applied to a small number of pages. Furthermore, often the keywords and classifications assigned by the human judges are inadequate or incomplete. Given the rate at which the WWW is growing and the wide variation in queries this is not a comprehensive solution.

A second approach is ranking based on usage information. Some services collect information on: (a) the queries individual users submit to search services and (b) the pages they look at subsequently and the time spent on each page. This information is used to return pages that most users visit after deploying the given query. For this technique to succeed a large amount of data needs to be collected for each query. Thus, the potential set of queries on which this technique applies is small. This technique may return pages that are highly correlated but not relevant.

A third approach is ranking based on connectivity. This approach involves analyzing the hyperlinks between pages on the web on the assumption that: (a) pages on the topic link to each other, and (b) authoritative pages tend to point to other authoritative pages.

For example, a search engine that ranks pages based on assumption (b) may compute a query-independent authority score for every page on the Web and rank the result set by this score. Because such a search engine is query-independent, it cannot by itself distinguish between pages that are authoritative in general and pages that are authoritative on the query topic. It ignores the fact that a web-site that is authoritative in

general *may* contain a page that matches a certain query but is not an authority on the topic of the query. In particular, such a page may not be considered valuable within the community of users who author pages on the topic of the query.

Still other search engines use topic distillation. Topic distillation first computes a query specific subgraph of the WWW. This computation is done by including pages on the query topic in the graph and ignoring pages not on the topic. Then the method computes a score for every page in the subgraph based on hyperlink connectivity: Every page is given an authority score. This score is computed by summing the weights of all incoming links to the page. For each such reference, its weight is computed by evaluating how good a source of links the referring page is.

A problem with Topic Distillation is that computing the subgraph of the WWW which is on the query topic is hard to do in real-time. In the ideal case every page on the WWW that deals with the query topic would need to be considered. In practice an approximation is used. A preliminary ranking for the query is done with content analysis. The top ranked result pages for the query are selected. This creates a “selected set.” Then, some of the pages within one or two links from the selected set are also added to the selected set if they are on the query topic. This approach can fail because it is dependent on the comprehensiveness of the selected set for success. A highly relevant and authoritative page may be omitted from the ranking by this scheme if it either did not appear in the initial selected set, or some of the pages pointing to it were not added to the selected set. A “focused crawling” procedure to crawl the entire web to find the complete subgraph on the query’s topic has been proposed, but this approach is too slow for online searching. Also, the overhead in computing the full subgraph for the query is not warranted since users only care about the top ranked results.

## SUMMARY OF THE INVENTION

The described embodiment of the present invention takes an input query, which is, for example, a sequence of words input by the user, and produces a ranked list of  
5 URLs that are returned as search results.

Creation of the ranked list involves two broad phases: (a) expert lookup and (b) target ranking. An "expert page" is a page that is about a certain topic and has links to many "non-affiliated" pages on that topic. Two pages are non-affiliated conceptually if they are authored by authors from non-affiliated organizations. Expert pages are  
10 preferably identified in a pre-processing step in which a subset of the pages crawled by a search engine are identified as experts (for example, 2.5 million of 140 million pages may be identified as experts). The pages in this subset preferably are indexed in a special inverted index called an "expert reverse index."

For a given input query, a lookup is done on the expert reverse index to find and  
15 rank matching expert pages. This phase computes the best expert pages on the query topic, as well as associated match information. The pages are ranked according to the match information.

Next, target ranking looks at the out-going links from identified expert pages. By combining relevant out-going links from many experts on the query topic, it is  
20 possible to find the pages that are most highly regarded by the community of pages related to the query topic. This is the basis of the high relevance that the described embodiment of the invention delivers.

In accordance with a preferred embodiment of the present invention as described herein, there is provided a method for searching a large number of hypertext documents  
25 in accordance with a current search query, comprising: determining which of the hypertext documents are expert documents; ranking the expert documents in accordance with the current search query; ranking target documents pointed to by the ranked expert documents; and returning a results list based on the ranked target documents.

In further accordance with a preferred embodiment of the present invention as described herein, there is provided an apparatus that searches a large number of hypertext documents in accordance with a current search query, comprising: a software portion configured to determine which of the hypertext documents are expert documents; a software portion configured to rank the expert documents in accordance with the current search query; a software portion configured to rank target documents pointed to by the ranked expert documents; and a software portion configured to return a results list based on the ranked target documents.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

Fig. 1 is a block diagram of the overall architecture of an embodiment of the present invention.

Fig. 2(a) is a block diagram giving an overview of a preferred embodiment of the present invention.

Fig. 2(b) is a flow chart of a search method in accordance with a preferred embodiment of the present invention.

Figs. 3(a) and 3(b) are flow charts of alternate methods of determining expert pages.

Fig. 4 is a flow chart of a method for adding keywords in the expert pages to an expert reverse index.

Fig. 5 is a diagram showing the scope of various types of key phrases.

Fig. 6 shows an example of a URL list data structure.

Fig. 7 is an example of an expert reverse index.

Fig. 8 is a flow chart of a method of ranking expert pages for a current query.

Fig. 9 is a flow chart of a method of target ranking.

Fig. 10 is a flow chart of a method of determining whether two pages are affiliated.

Fig. 11(a) shows an example of affiliated expert pages.

Fig. 11(b) shows an example of an affiliated expert page and an affiliated target page.

## DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS

### I. General Discussion

Referring now to Fig. 1, there is shown a block diagram of the overall architecture of an embodiment of the present invention. Fig. 1 includes a data processing system 100 including a processor 102 and a memory 104. Memory 104 includes search engine software 112, which implements the methods defined herein. Memory 104 also includes data and ranked lists 114 as described herein. System 100 is connect to a network, such as the Internet, a LAN, or WAN via a connection 150. System 100 could also connect to a network via other appropriate methods, such as a wireless network or a cellular telephone connection.

The methods described herein are preferably implemented as software instructions stored in memory 104 and executed by processor 102. These instructions can also stored on computer readable medium 140, such as disk drive, memory, CD ROM, etc. System 100 also includes an input device 120, such as a keyboard or a mouse, and an output display device 130, such as a display screen.

In other preferred embodiments, search engine 112 and datalists 114 reside on different computers or in different memories. The search engine can also be included in a client/server model in which the search engine acts as a server, sending results lists to requesting clients in response to queries.

The described embodiment of the present invention is not particularly applicable to narrow search queries. It is generally more useful for broad searches. Thus a search service could use the described method for broad queries and fall back on a traditional ranking scheme for narrow queries.

### II. Search Engine Implementation

Fig. 2(a) is a block diagram giving an overview of a preferred embodiment of the present invention. In the described embodiment, an initial set of hypertext pages 202 is obtained by, for example, a crawl of the world wide web. The hypertext documents (e.g., pages) are processed to yield a set of expert documents 204. When a query is received, the expert documents are ranked in accordance with the query to yield ranked expert documents 206. The targets of the ranked expert documents are themselves ranked to yield ranked target documents 208. The ranked target documents are returned as a search result.

Fig. 2(b) is a flow chart of a search method in accordance with a preferred embodiment of the present invention. In the following example, the hypertext documents are pages (or sites) in the world wide web. It should be understood that the present invention can also be applied to other types of hypertext linked documents, such as hypertext databases. When a search request is received, software 112 preferably returns a ranked list of possible documents. Creation of the ranked list involves two broad phases: (a) expert lookup and (b) target ranking.

An expert page is a page that is about a certain topic and has links to many non-affiliated pages on that topic. Two pages are non-affiliated conceptually if they are authored by authors from non-affiliated organizations. In a pre-processing step 212, a subset of the pages crawled by a search engine are identified as experts (for example, 2.5 million of 140 million or so pages might be found to be experts). The pages in this subset are indexed in a special inverted index called an expert reverse index.

#### A. Creating an Expert Reverse Index



After receipt of an input query 214, a lookup 216 is done on the expert reverse index to find and rank matching “expert pages.” This phase computes the best expert pages on the query topic and as well as associated match information. Then a target ranking 218 is performed. In this embodiment, match information is defined as the location(s) where query terms occur within the expert page.

#### a) Determining Page Affiliation

Two pages are “affiliated” if and only if the hosts they are located on are known to be affiliated. Thus, as shown in Fig. 10, a determination about whether two pages are affiliated is made by looking at the hosts of the pages.

Two hosts are affiliated if one or both of the following is true:

- (i) They share the same first 3 octets of the IP address, and
- (ii) The rightmost non-generic token in the hostname is the same.

In the described embodiment, only suffixes beginning with a period “.” are considered. A suffix is considered generic if it occurs in a large number of distinct hosts. E.g., “.com” and “.co.uk” are domain names that occur in a large number of hosts and are hence generic suffixes. Given two hosts, if the generic suffix in each case is stripped and the subsequent right-most token is the same, they are considered to be affiliated. Tokens are substrings of the hostname delimited by “.”.

For example, in comparing “www.ibm.com” and “ibm.co.mx,” the generic suffixes “.com” and “.co.mx” are ignored. The resulting rightmost token is “ibm,” which is the same in both cases. Hence they are considered to be affiliated. Optionally, the generic suffix could be required to be the same in both cases. The affiliation relation is transitive: if A and B are affiliated and B and C are affiliated then we take A and C to be affiliated even if there is no direct evidence of the fact. In practice some non-affiliated hosts may be classified as affiliated, but that is usually acceptable since this relation is intended to be conservative.

Preprocessing step 202 of Fig. 2(a) preferably constructs a host-affiliation lookup. Using a standard union-find method, hosts are grouped that either share the same rightmost non-generic suffix or have an IP address in common, into sets. Every set is given a unique identifier (e.g., the host with the lexicographically lowest hostname).

5 The host-affiliation lookup maps every host to its set identifier or to itself (when there is no set). This is used to compare hosts. If the lookup maps two hosts to the same value then they are affiliated; otherwise they are non-affiliated. Thus, in the described embodiment, the test for affiliation can be done very quickly.

#### 10 b) Finding Expert Pages

Step 202 preferably processes a search engine's database of pages and selects a subset which is considered to be good sources of links on specific topics, albeit unknown.

As shown in element 302 of Fig. 3(a), all pages with out-degree greater than a  
15 threshold,  $k$  (e.g.,  $k=5$ ) are considered. The out-degree is the number of out-going links from the page. In element 306, if the URLs of a such a page point to  $k$  distinct non-affiliated hosts that are mutually non-affiliated as well, the page is an expert page (see element 308). In the described embodiment, all selected expert pages are downloaded from the web if they are not already available.

20 Fig. 3(b) shows an alternate method of determining expert pages. As shown in element 317 of Fig. 3(b), if a broad classification (such as *Arts*, *Science*, *Internet* etc.) is known for every page in the search engine database then we can additionally require that all the  $k$  non-affiliated URLs discovered in the previous step point to pages that share the same broad classification.

25

#### c) Building an Expert Reverse Index

Fig. 4 is a flow chart of a method for adding keywords in the expert pages to an expert reverse index. Only "keywords" contained within "key phrases" of the expert are

indexed. As shown in element 402, key phrases are phrases associated with titles, headings and anchors within the HTML of a page. The keywords of key phrases that “qualify” at least one URL on the page are added the to expert reverse index.

As shown in Fig. 5, every key phrase has a scope within the page text. URLs located within the scope of a key phrase are said to be “qualified” by the key phrase. For example, a title has a scope that qualifies all URLs in the page. A heading’s scope qualifies all URLs until the next heading of greater or equal importance. An anchor’s scope only extends over the URL it is associated with.

Thus, in Fig. 5, the URL <http://www.website.com> 502 is qualified by the key phrase in title 504; by the key phrase in second heading 508; and by the key phrase in anchor 510. It is not qualified by the key phrase in first heading 506, since it is not in the scope of first heading 506.

In element 408, if a key phrase qualifies at least one URL, the keywords in the key phrase are indexed. As shown in Fig. 7, the index is organized so that we also store:

- i) An ID to identify the expert page containing the keyword,
- ii) An ID to identify the key phrase uniquely within the page
- iii) A code to denote the kind of phrase it is (title, heading or anchor)
- iv) The offset of the keyword within the phrase.

In addition, as shown in Fig. 6, a list of URLs is maintained for each expert page showing the URLs within the page (as indexes into a global list of URLs). The identifiers of the key phrases that qualify the URLs is also maintained.

In the described embodiment, to avoid giving long key phrases an advantage the number of keywords indexed for any given key phrase is limited (e.g., to 32).

Elements 410, 412, 414, and 416 indicate that each keyword of each qualifying key phrase of each expert page is indexed.

## B. Ranking Experts

For an expert to be useful in response to a query, the minimum requirement is that there is at least one URL which contains all the query keywords in the key phrases that qualify it. A fast approximation would be to require all query keywords to occur in the page. Thereupon the an Expert Score of the expert is computed as a 3-tuple of the form  $(S_o, S_i, S_j)$ .

Fig. 8 is a flow chart of a method of ranking expert pages in accordance with a current query.

Element 802 shows how to determine a level score for a current phrase on a current expert page.  $LevelScore(p)$  is a score assigned to the phrase by virtue of the type of phrase it is. E.g., we could use a LevelScore of 16 for title phrases, 6 for headings and 1 for anchor text. This is based on the assumption that the title text is more useful than the heading text, which is more useful than an anchor text match in determining what the expert page is about.

Element 804 shows how to determine a fullness factor for a current phrase  $(p)$  on a current expert page for the query

$FullnessFactor(p,q)$  is a measure of the number of terms in  $p$  covered by the terms in  $q$ . Let  $plen$  be the length of  $p$ . Let  $m$  be the number of terms in  $p$  which are not in  $q$  (i.e., surplus terms in the phrase) .

If  $m \leq 2$ ,  $FullnessFactor(p,q) = 1$

If  $m > 2$ ,  $FullnessFactor(p,q) = 1 + (2-m)/plen$

Element 806 shows how to determine the expert score for a current expert page. Let  $k$  be the number of terms in the input query,  $q$ . The component  $S_i$  of the score is computed by considering only key phrases that contain precisely  $k-i$  of the query terms. E.g.,  $S_o$  is the score computed from phrases containing all the query terms.

$$S_i = \sum_{\{key\ phrases\ p\ with\ k-i\ query\ terms\}} LevelScore(p) * FullnessFactor(p,q)$$

The score of the expert can be converted into a scalar by determining a weighted sum of the components. E.g.,  $ExpertScore = 2^{32} * S_0 + 2^{16} * S_1 + S_2$ . In other words,  $S_0$ ,  $S_1$ , and  $S_2$  can be stored, for example, in respective bytes in memory to form a scalar.

5 Elements 808, 810, 812, and 814 indicate that each keyword an expert page is considered when determining the expert score for that page. An expert score is determined for each expert page.

Element 816 ranks experts in accordance with their expert scores, which, in the described embodiment, are formed from scores  $S_0$ ,  $S_1$ , and  $S_2$ .

10

### C. Target Ranking

A page is an “authority” on the query topic if and only if some of the best experts on the query topic point to it. Of course in practice some expert pages may be experts on a broader or related topic. If so only a subset of the hyperlinks on the expert page may  
15 be relevant. In such cases the links being considered have to be carefully chosen to ensure that their qualifying text matches the query. By combining relevant out-links from many experts on the query topic we can find the pages that are most highly regarded by the community of pages related to the query topic.

Given the top ranked matching expert pages and associated match information  
20 determined by the method of Fig. 8, we select a subset of the hyperlinks within the expert pages. (Associated match information is preferably information about the key phrases within the expert pages that match query terms.) Specifically, we select links that we know to have all the query terms associated with them. This implies that the link matches the query. With further connectivity analysis on the selected links we identify a  
25 subset of their targets as the top-ranked pages on the query topic. The targets we identify are those that are linked to by at least two non-affiliated expert pages on the topic. The targets are ranked by a ranking score which is computed by combining the scores of the experts pointing to the target.

In element 902 of Fig. 9 we consider the top  $N$  experts in the ranking from the previous step (for example,  $N=200$ ) and consider the pages they point to. These pages are called *targets*. It is from this set of targets that we select top ranked pages. For a target to be considered it must be pointed to from at least two experts on hosts that are mutually non-affiliated and are not affiliated to the target. For all targets that qualify we compute a ranking score.

The ranking score for a target  $T$  is computed in three steps:

1. As shown in element 906, for every expert  $E$  that points to target  $T$  we draw a directed edge  $(E,T)$ . We compute an "edge score" for the edge  $(E,T)$  represented by  $EdgeScore(E,T)$ , which is computed thus:

Let  $occ(k)$  be the number of distinct key phrases of expert  $E$ , within which a query keyword  $k$  occurs. If  $occ(k)$  is 0 for any query keyword then the  $EdgeScore(E,T) = 0$ .

Otherwise,  $EdgeScore(E,T) = ExpertScore(E) * \sum_{\{query\ keywords\ k\}} occ(k)$

2. As shown in step 908, we next check for affiliations between expert pages that point to the same target. If two affiliated experts have edges to the same target  $T$ , we then discard one of the two edges. Specifically, we discard the edge which has the lower  $EdgeScore$  of the two.

3. As shown in element 910, to compute the *TargetScore* of a target we sum the *EdgeScores* of all edges incident on it.

In element 912, the list of targets is ranked by *TargetScore*. Optionally, this list can be filtered by testing if the query keywords are present in the targets. Optionally, we can match the query keywords against each target compute a *MatchScore* using content analysis, and combine the *TargetScore* with the *MatchScore* before ranking the targets.

### III. Summary

The approach described above generates a list of target pages which are likely to be very authoritative pages on the topic of the query. This is by virtue of the fact that they are highly valued by pages on the WWW which address the topic of the query. In computing the value of a target page from the hyperlinks pointing to it, we only consider links originating from pages that seem to be experts. Specifically we require them to point to many non-affiliated sites. This is an indication that these pages were created for the purpose of directing users to resources, and hence we regard them as experts.

Additionally, to boost relevance, we require a match between the query and the text on the expert page which qualifies the hyperlink being considered. This insures that hyperlinks being considered are on the query topic. The result of the steps described above is to generate a listing of pages that are highly relevant to the user's query and of high quality, which is the goal of our invention.

The described technique is a dynamic one that is performed for each new query. Hence, it can produce more relevant results. Because the described technique evaluates experts on their content match to the user's query, rather than on their linkage to popular target pages, the described method prevents the scores of "niche experts" (i.e., experts that point to new or relatively unknown targets) from being driven to zero.

From the above description, it will be apparent that the invention disclosed herein provides a novel and advantageous system and method of searching large numbers of hypertext documents, such as the hypertext documents of the world wide web.

What is Claimed is:

1           1. A computer-implemented method for searching a large number of hypertext  
2 documents in accordance with a current search query, comprising:  
3           determining which of the hypertext documents are expert documents;  
4           ranking the expert documents in accordance with the current search query;  
5           ranking target documents pointed to by the ranked expert documents; and  
6           returning a results list based on the ranked target documents.

1           2. The computer-implemented method of claim 1, wherein the hypertext  
2 documents are pages in the world wide web.

1           3. The computer-implemented method of claim 1, wherein the hypertext  
2 documents are sites in the world wide web.

1           4. The computer-implemented method of claim 1, wherein the hypertext  
2 documents are documents in a hypertext database.

1           5. The computer-implemented method of claim 1, wherein an expert reverse  
2 index is constructed in memory for keywords appearing in the expert documents, the  
3 expert reverse index identifying the location of the keywords in the expert documents.

1           6. The computer-implemented method of claim 5, wherein a keyword of an  
2 expert document is included in the expert reverse index if the keyword is part of a key  
3 phrase that qualifies at least one URL in the expert document.

1           7. The computer-implemented method of claim 6, wherein a key phrase  
2 qualifies a URL if the URL is within the scope of the key phrase in the expert document.



3  
1 8. The computer-implemented method of claim 6, wherein a key phrase in an  
2 HTML title qualifies all URLs in the entire document.  
3

1 9. The computer-implemented method of claim 6, wherein a key phrase in an  
2 HTML heading qualifies all URLs in that portion of the document before a next HTML  
3 heading in the document of greater or equal importance.  
4

1 10. The computer-implemented method of claim 6, wherein a key phrase in an  
2 HTML anchor qualifies the URLs in the anchor.  
3

1 11. The computer-implemented method of claim 1, wherein determining which  
2 of the hypertext documents are expert documents includes:  
3 determining a document having at least a predetermined number of outlinks  
4 to be an expert document if the document also points to at least the predetermined  
5 number of targets or distinct non-affiliated hosts.  
6

1 12. The computer-implemented method of claim 11, wherein expert documents  
2 additionally must point to documents that share the same broad classification.  
3

1 13. The computer-implemented method of claim 1, wherein ranking the expert  
2 documents in accordance with a current search query includes:

3 determining a level score for an expert document;  
4 determining a fullness factor for each key phrase on the expert document;  
5 and  
6 determining an expert score for the expert document in accordance with  
7 the level score of the expert document and the fullness factors for the key phrases of the  
8 expert document.

9

1           14. The computer-implemented method of claim 1, wherein ranking target  
2 documents pointed to by the expert documents includes:

3                 determining a plurality of edge scores for each target document, where an  
4 edge score is determined for edges between the expert documents and the target  
5 document;

6                 determining a target score in accordance with the edge scores of the target  
7 document;

8                 ranking the target documents in accordance with the target scores.

9

1           15. The computer-implemented method of claim 14, further including:

2                 determining an edge score only for those links to the target document  
3 from a predetermined number of top-ranked expert documents.

4

1           16. The computer-implemented method of claim 14, further including selecting  
2 target documents to be ranked that are linked to by at least two mutually non-affiliated  
3 selected expert documents, where the selected target also is not affiliated with the expert  
4 documents.

5

1           17. The computer-implemented method of claim 14, where an edge score  
2 between an expert document and a target document  $ES(E,T)$  is determined as follows,  
3 where ExpertScore reflects the rankings of the expert documents:

4                 a) find #occurrences of each keyword in all keyphrases of expert document E

5                 b) if the #occurrences for any keyword in E is 0:  $ES(E,T)=0$

6                 else  $ES(E,T)=\text{ExpertScore}(E) * \text{sum of \#occurrences for all keywords.}$

7

1 18. The computer-implemented method of claim 14, wherein, if two affiliated  
2 experts have edges to the same target, the edge having a lower edge score is discarded  
3 and is not used to determine the target score.  
4

1 19. The computer-implemented method of claim 1, wherein two hypertext  
2 documents are affiliated if at least one of the following is true: 1) they share the same  
3 rightmost non-generic suffix and 2) they have an IP address in common.  
4

1 20. An apparatus that searches a large number of hypertext documents in  
2 accordance with a current search query, comprising:  
3 a software portion configured to determine which of the hypertext documents  
4 are expert documents;  
5 a software portion configured to rank the expert documents in accordance  
6 with the current search query;  
7 a software portion configured to rank target documents pointed to by the ranked  
8 expert documents; and  
9 a software portion configured to return a results list based on the ranked target  
10 documents.  
11

1 21. A computer program product, comprising:  
2 a computer usable medium having computer readable instructions stored therein  
3 to search a large number of hypertext documents in accordance with a current search  
4 query, including:  
5 computer readable program code devices for causing a computer to determine  
6 which of the hypertext documents are expert documents;  
7 computer readable program code devices for causing a computer to rank the  
8 expert documents in accordance with the current search query;

9 computer readable program code devices for causing a computer to rank target  
10 documents pointed to by the ranked expert documents; and  
11 computer readable program code devices for causing a computer to return a  
12 results list based on the ranked target documents.  
13

[illegible]

5 A computer-implemented method and system for determining search results for a search query for hypertext documents. The hypertext documents are reviewed to determine expert documents. When a query is received, the expert documents are ranked in accordance with the query. Then the target documents of the ranked expert documents are ranked to determine the search result set.




Fig. 1






Fig. 2(a)




Responding to a Search Query  
Fig. 2(b)






Determining Expert Pages  
Fig. 3(a)



Determining Expert Pages  
Fig. 3(b)


Start with first expert page



Adding Keywords to the  
Expert  
Reverse Index


Fig. 4

An expert page



Scope of Key Phrases  
(URLs in scope of a key phrase are "qualified" by the key phrase)  
Fig. 5

Global URL list



URL Lists  
Fig. 6

keyword	Expert page ID	Key phrase ID	Key phrase type	Offset of keyword within key phrase
1				
...	...	...	...	...
M				

Example Expert Reverse Index  
Fig. 7

Start with first key phrase of first expert page

802

For current key phrase: determine **level score** of key phrase in accordance with the type of key phrase (title, header, anchor, etc.)

804

For current key phrase and current expert page: determine **fullness factor** for <key phrase, query> as follows.

If  $m \leq 2$ , FullnessFactor(key phrase, query) = 1

If  $m > 2$ , FullnessFactor(key phrase, query) =  $1 + (2-m)/plen$

where  $m$  is the number of terms in the key phrase that are not in the query (i.e., surplus terms in key phrase) and  $plen$  is the length of the key phrase

806

If key phrase has all query terms: Add (LevelScore (key phrase) \* FullnessFactor(key phrase, query)) to running total S0 for expert page

If key phrase has all but 1 query term: Add (LevelScore (key phrase) \* FullnessFactor(key phrase, query)) to running total S1 for expert page

If key phrase has all but 2 query terms: Add (LevelScore (key phrase) \* FullnessFactor(key phrase, query)) to running total S2 for expert page

So, S1, S2 make up an ExpertScore(E) for this expert.

810

Next key phrase on expert page

More key phrases in expert page?

Y

812

N

More expert pages to rank?

Y


N

Rank experts according to their S0, S1, S2 scores


Next expert page; first key phrase on expert page; Clear S0, S1, S2 for expert page

## Ranking Expert Pages for a Current Query



Fig. 8



Target Ranking  
Fig. 9



Determining if Two Pages are Affiliated  
Fig. 10





<b>0010/PTO</b> Rev. 6/95	<b>U.S. Department of Commerce</b> Patent and Trademark Office	<b>DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION</b>		
		Attorney Docket Number	<b>21708-04479 (Case 4479US) (PD99-2699)</b>	
		First Named Inventor	<b>Krishna A. Bharat</b>	
		<i>COMPLETE IF KNOWN</i>		
		Application Number	<b>Unassigned</b>	
		Filing Date	<b>Concurrently Herewith</b>	
		Group Art Unit	<b>Unassigned</b>	
<input checked="" type="checkbox"/> Declaration Submitted with Initial Filing	OR	<input type="checkbox"/> Declaration Submitted after Initial Filing	Examiner Name	<b>Unassigned</b>

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**METHOD FOR RANKING HYPERTEXT SEARCH RESULTS BY ANALYSIS OF HYPERLINKS FROM EXPERT  
DOCUMENTS AND KEYWORD SCOPE**

the specification of which

*(Title of the Invention)*

☒ is attached hereto

OR

☐ was filed on (MM/DD/YYYY) [12/15/98] as United States Application Number or PCT International

Application Number [09/213,300] and was amended on (MM/DD/YYYY) [ ] (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations. § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code § 119 (a)-(d) or § 385(b) of any foreign application(s) for patent or inventor's certificate, or § 365 (a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority sheet attached hereto:

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental sheet attached hereto.

<b>DECLARATION</b>				<b>Page 2</b>	
<p>I hereby claim the benefit under Title 35, United States Code § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.</p>					
U.S. Parent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)		
<input type="checkbox"/> Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet attached hereto.					
<p>As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:</p>					
Name		Registration Number		Name	
<b>Lawrence W. Granatelli</b>		<b>32,228</b>		<b>Laura A. Majerus</b>	
<b>Theodore S. Park</b>		<b>26,971</b>		<b>Richard P. Lange</b>	
<b>Barry Blount</b>		<b>35,069</b>		<b>Sarah T. Harris</b>	
<b>Joseph Arrambide</b>		<b>39,589</b>		<b>Keith Lutsch</b>	
<b>Irene Kosturakis</b>		<b>33,724</b>		<b>33,417</b>	
				<b>27,296</b>	
				<b>35,891</b>	
				<b>31,851</b>	
<input type="checkbox"/> Additional attorney(s) and/or agent(s) named on a supplemental sheet attached hereto.					
<p>Please direct all correspondence to:</p> <p style="text-align: center;"><b>Lawrence W. Granatelli</b>  <b>Fenwick &amp; West LLP</b>  <b>Two Palo Alto Square</b>  <b>Palo Alto, CA 94306</b>  <b>U.S.A.</b></p>					
Telephone		<b>(650) 858-7151</b>		Fax	
				<b>(650) 494-1417</b>	
<p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p>					
<b>Name of Sole or First Inventor:</b>			<input type="checkbox"/> A petition has been filed for this unsigned inventor		
Given Name	<b>Krishna</b>	Middle Initial	<b>A.</b>	Family Name	<b>Bharat</b>
				Suffix e.g. Jr.	
Inventor's Signature				Date	<b>10/10/99</b>
Residence: City	<b>Santa Clara</b>	State	<b>CA</b>	Country	<b>USA</b>
Citizenship		<b>India</b>			
Mailing Address		<b>470 Oak Grove Drive, #205</b>			
City	<b>Santa Clara</b>	State	<b>CA</b>	Zip	<b>95054</b>
		Country	<b>USA</b>		
<input checked="" type="checkbox"/> Additional inventors are being named on supplemental sheet(s) attached hereto					

DECLARATION				ADDITIONAL INVENTOR(S) Supplemental Sheet			
Name of Additional Joint Inventor, if any:			[ ] A petition has been filed for this unsigned inventor				
Given Name	George	Middle Initial	A.	Family Name	Mihaila	Suffix e.g. Jr.	
Inventor's Signature					Date		
Residence: City	Toronto	State	ON	Country	Canada	Citizenship	Canada
Mailing Address	410-30 Charles Street West						
City	Toronto	State	ON	Zip	M4Y-1R5	Country	Canada



Rev. 10/06/99

0010/PTO Rev. 6/95	U.S. Department of Commerce Patent and Trademark Office	Attorney Docket Number <b>21708-04479 (Case 4479US)</b> <b>(PD99-2699)</b>	
<b>DECLARATION FOR                  UTILITY OR DESIGN                  PATENT APPLICATION</b>		First Named Inventor <b>Krishna A. Bharat</b>	
		COMPLETE IF KNOWN	
		Application Number <b>Unassigned</b>	
		Filing Date <b>Concurrently Herewith</b>	
		Group Art Unit <b>Unassigned</b>	
		Examiner Name <b>Unassigned</b>	
<div style="display: flex; justify-content: space-between;"> <span><input checked="" type="checkbox"/> Declaration Submitted with Initial Filing</span> <span>OR</span> <span><input type="checkbox"/> Declaration Submitted after Initial Filing</span> </div>			

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

**METHOD FOR RANKING HYPERTEXT SEARCH RESULTS BY ANALYSIS OF HYPERLINKS FROM EXPERT DOCUMENTS AND KEYWORD SCOPE**

the specification of which (Title of the Invention)

☒ is attached hereto

OR

☐ was filed on (MM/DD/YYYY) [12/15/98] as United States Application Number or PCT International Application Number [09/213,300] and was amended on (MM/DD/YYYY) [ ] (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37 Code of Federal Regulations. § 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code § 119 (a)-(d) or § 385(b) of any foreign application(s) for patent or inventor's certificate, or § 365 (a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

☐ Additional foreign application numbers are listed on a supplemental priority sheet attached hereto:

I hereby claim the benefit under Title 35, United States Code § 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	
		<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental sheet attached hereto.

**DECLARATION**

Page 2

I hereby claim the benefit under Title 35, United States Code § 120 of any United States application(s), or § 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code § 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations § 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application Number	PCT Parent Number	Parent Filing Date (MM/DD/YYYY)	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are listed on a supplemental priority sheet attached hereto.

As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:

Name	Registration Number	Name	Registration Number
<b>Lawrence W. Granatelli</b>	<b>32,228</b>	<b>Laura A. Majerus</b>	<b>33,417</b>
<b>Theodore S. Park</b>	<b>26,971</b>	<b>Richard P. Lange</b>	<b>27,296</b>
<b>Barry Blount</b>	<b>35,069</b>	<b>Sarah T. Harris</b>	<b>35,891</b>
<b>Joseph Arrambide</b>	<b>39,589</b>	<b>Keith Lutsch</b>	<b>31,851</b>
<b>Irene Kosturakis</b>	<b>33,724</b>		

☐ Additional attorney(s) and/or agent(s) named on a supplemental sheet attached hereto.

Please direct all correspondence to:

**Lawrence W. Granatelli**  
**Fenwick & West LLP**  
**Two Palo Alto Square**  
**Palo Alto, CA 94306**  
**U.S.A.**

Telephone (650) 858-7151 Fax (650) 494-1417

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

**Name of Sole or First Inventor:** ☐ A petition has been filed for this unsigned inventor

Given Name	Krishna	Middle Initial	A.	Family Name	Bharat	Suffix e.g. Jr.	
---------------	---------	-------------------	----	----------------	--------	--------------------	--


Inventor's Signature		Date	
-------------------------	--	------	--

Residence: City	Santa Clara	State	CA	Country	USA	Citizenship	India
-----------------	-------------	-------	----	---------	-----	-------------	-------

Mailing Address	470 Oak Grove Drive, #205
-----------------	---------------------------

City	Santa Clara	State	CA	Zip	95054	Country	USA
------	-------------	-------	----	-----	-------	---------	-----

☒ Additional inventors are being named on supplemental sheet(s) attached hereto

DECLARATION				ADDITIONAL INVENTOR(S) Supplemental Sheet			
Name of Additional Joint Inventor, if any:				<input type="checkbox"/> A petition has been filed for this unsigned inventor			
Given Name	George	Middle Initial	A.	Family Name	Mihaila	Suffix e.g. Jr.	
Inventor's Signature					Date	10/13/1999	
Residence: City	Toronto	State	ON	Country	Canada	Citizenship	Canada
Mailing Address	410-30 Charles Street West						
City	Toronto	State	ON	Zip	M4Y-1R5	Country	Canada



Rev. 10/06/99